



09/849380

CO/rc

Attorney Docket No.: **4663**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re Patent Application of:

Customer No.: 22896

Albert L. Carrillo

Patent No.: **6,731,437 B2**

Issue Date: May 4, 2004

CERTIFICATE OF MAILING	
I hereby certify that this paper is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Commissioner for Patents, Attn: CERTIFICATE OF CORRECTIONS BRANCH, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.	
 Cheri Gomez	<u>March 9, 2006</u> Date of Deposit

For: **ENERGY BEAM GUIDE FOR AN
ELECTROPHORESIS SYSTEM**

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents
ATTN: CERTIFICATE OF CORRECTIONS BRANCH
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAR 17 2006
of Correction

Sir:

In reviewing the above-identified patent, Patent Office printing errors were discovered therein requiring correction in order to conform the patent to the Official Record of the application.

The errors noted are set forth in the two attached copies of form PTO/SB/44 (Rev. 10/96) in the manner required by the Commissioner's Notice.

The location in the application file history where the errors are shown correctly are as follows:

Please see Amendment and Response filed September 4, 2003 which was received by the U.S. Patent and Trademark Office September 8, 2003 showing amendments to the claims.

MAR 17 2006

U.S. Patent No.: 6,731,437 B2
Request for Certificate of Correction
March 8, 2006


Attorney Docket No.: 4663

The changes requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. However, should the Commissioner determine any fee is due, please charge it to Applied Biosystems Deposit Account No. 01-2213 (order no. 4663).

08 MAR 06

Date

Respectfully submitted,



Phil N. Makrogiannis, Reg. No. 47,766

Correspondence Address

Customer Number 22896
APPLIED BIOSYSTEMS
850 Lincoln Center Drive
Foster City, CA 94404
(650) 554-2164 (Phone)
(650) 638-6677 (Fax)

Enclosure(s)

APR 10 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : **6,731,437 B2**
APPLICATION NO. : **09/849,380**
ISSUE DATE : **May 4, 2004**
INVENTOR(S) : **Albert L. Carrillo**

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 53, "end and an first" should read --end and a first--.
Column 10, line 66, "eneray" should read --energy--.
Column 10, line 67, "beani" should read --beam--.
Column 11, line 21, "index is is in" should read --index is in--.
Column 11, line 59, "sharing an first" should read - -sharing a first--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Applied Biosystems
850 Lincoln Centre Drive
Foster City, California 94404

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAR 17 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTIONPage 1 of 1

PATENT NO. : 6,731,437 B2
APPLICATION NO. : 09/849,380
ISSUE DATE : May 4, 2004
INVENTOR(S) : Albert L. Carrillo

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 53, "end and an first" should read --end and a first--.
Column 10, line 66, "eneray" should read --energy--.
Column 10, line 67, "beani" should read --beam--.
Column 11, line 21, "index is is in" should read --index is in--.
Column 11, line 59, "sharing an first" should read - -sharing a first--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Applied Biosystems
850 Lincoln Centre Drive
Foster City, California 94404

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAR 17 2006